FORM PTO		U.S. Department of C t and Trademark Offi			Attorney Doc 5470	ket Number)-368		Serial No. 10/511,989
		CUMENTS CITED B		Γ				
. `	. I.	e several sheets if nec	essary)		Amplicants	Ionny Ting a	et al	L_
DEC 2 2 2005	الق				Applicants: Jenny Ting et al.			C 1623
TON THANKS	\$ /			revir no	Filing Date:	May 25, 200	<u> </u>	Group: 1633
	1	<u> </u>	U. S. PA	TENT DO	CUMENTS	I	1.	Siling Days
Examiner Initial		Document Number	Date		Name	Class	Subclass	Filing Date if Appropriate
/SDP/	1.	6,432,442	08-13-2002	Buehl	er et al.	42435	441 7 .02	
1	2.	2001/0029033	10-11-2001	SI	nami et al.	435	69.1	
V	3.	2003/0027757	02-06-2003	В	ertin et al.	514	12	
			FOREIGN F	ATENT	DOCUMENTS			
•		Document Number	Date		Country	Class	Subclass	Translation Yes No
•			<u> </u>				<u></u>	
		OTHER DOCUM	AENTS (Includ	ing Autho	r, Title, Date, Pe	rtinent Page:	s, Etc.)	
•	4.	Accession Number sapiens (June 4, 20		mo sapiei	ns NOD27 (NOD	27) mRNA,	complete cds;	Source: Home
	5.	Accession No. AF2 Source: Homo Sapa		sapiens Le	eucine-Rich-Repe	eat Protein R	NO2 mRNA,	complete cds;
	6.	Accession No. NM mRNA; Source: Ho			Neuronal Apopto	osis Inhibito	r Protein 12 (N	VALP12),
	7.	Accession Number (July 2, 2002)	AF526389; Ho	mo sapiei	ns cryopyrin (Cl	ASI) gene, i	ntron 6; Sourc	e: Homo sapiens
	8.	Accession Number sapiens (August 29		omo sapie	ns cDNA: FLJ21	478 fis, clor	ne COL05012;	Source: homo
	9.	Accession Number sapiens	AK025212; He	omo sapie	ns cDNA. FLJ21	559 fis, clor	ne COL06406;	Source: <i>Homo</i>
	10.	Accession Number sapiens (August 29		omo sapje	ns cDNA: FLJ2	709 fis, clor	ne COL10077;	Source: <i>Homo</i>
	11.	Accession Number similar to RIBONU	AK027416; J JCLEASE INH	omo sapie IBITOR;	ns cDNA FLJ14 Source: <i>Homo sa</i>	510 fis, clan piens (May	e NT2RM100 19 2001)	0623, weakly
	12.	Accession Number (January 21, 2002)		omo sapie	ns mRNA for FL	.J00180 prot	ein; Source: H	Iomo sapiens
	13.	Accession Number (January 21, 2002)		omo sapie	ns mRNA for FL	J00206 prot	ein, Source: F	lome sapiens
	14.	Accession Number		omo sapie	ns mRNA for FL	.J00255 pro	ein, Source: F	Iomo sapiens

EXAMINER

	U.S. Department of Commerce tent and Trademark Office	Attorney Docket Number 5470-368	Serial No. 10/511,989
LIST OF D	OCUMENTS CITED BY APPLICANT	·	
0	Use several sheets if necessary)		
		Applicants: Jenny Ting et al	·
		Filing Date: May 25, 2005	Group: 1633
15.	Accession Number AK090431; Homo sapie. (July 4, 2002)	ns mRNA for FLJ00348 protein; Source: H	omo sapiens
16.	Accession Number AK090439; Homo sapie (July 4, 2002)	ns mRNA for FLJ00359 protein; Source: H	omo sapiens
17.	Accession Tumber AK090476; Homo sapie (July 4, 2002)	ns mRNA for FLJ00398 protein; Source: H	ome sapiens
. 18.	Accession Number AK097030; Homo sapie. Homo sapiens (July 4, 2002)	ns cDNA FLJ39711 fis, clone SMINT2073	032; Source:
19.	Accession Number AY951112; Homo sapie (August 15, 2001)	ns cryopyrin (CIASI) gene, exon 1 Source	: Homo sapiens
20.	Accession Number AY0511 N; Homo sapie. (August 15, 2001)	ns cryopyrin (CIASI) genc, exon 2; Source	: Homo sapiens
21.	Accession Number AY051114; Homo sapie (August 15, 2001)	ns cryopyrin (CIASI) gene, exon 3; Source	: Homo sapiens
22.	Accession Number AY051115; Homo sagie (August 15, 2001)	ns cryopyrin (CIAB1) gene, exon 5; Source	: Homo sapiens
23.	Accession Number AY051116; Homo sapie sapiens (August 15, 2001)	ns cryopyrin (CIASI) gene, exons 7 and 8;	Source: Homo
24.	Accession Number AY051117; Homo sapie alternatively spliced; Source: Homo sapiens	ns cryopyrin (CIASI) gene, exon 9 and cor (August 15, 2001)	nplete cds,
25.	Accession Number AY056059; Homo sapie (August 15, 2001)	cryopyrin (CIASI) gene, exon 4; Source	: Homo sapiens
26.	Accession Number AY056060; Homo Jupie (August 15, 2001)	ns cryopyrin (CIAS) gene, exon 6; Source	: Homo sapiens
27.	Accession Number AY092033; Homo sapie cds; Source: Homo sapiens (March 27, 2002		mRNA, complete
28.	Accession Number AY116204; Homo sapie Source: Homo sapiens (May 29, 2002)	ns monarch-I mRNA, complete cds; alterna	atively spliced;
29.	Accession Number A 116205; Accession N mRNA, complete cos; alternatively spliced;		-I splice form II
30.	Accession Number AY116206; Homo sapie alternatively spliced; Source: Homo Sapiens		lete cds;
31.	Accession Number AY116207; Homo sapie alternatively spliced; Source: Homo Sapiens		lete cds;
32.	Accession Number AY154469; Homo sapie Homo sapiens (September 25, 2002)	ns NALP14 (NALP14) mRNA, complete c	ds; Source:
33.	Accession Number BC013199; Homo sapiel	ns NOD9 protein, mRNA (cDNA clone IM	AGE: 4387619),

FORM PTO		U.S. Department of Commerce nt and Trademark Office	Attorney Docket Number 5470-368	Serial No. 10/511,989			
LIST	OF DO	CUMENTS CITED BY APPLICANT					
	(Us	se several sheets if necessary)					
			Applicants: Jenny Ting et al				
			Filing Date: May 25, 2005	Group: 1633			
	 	partiel cds; Source: Homo sapiens (August 2					
	34.	Accession Number NM 004895 Homo sapi variant 1, mRNA; Source: Homo sapiens (20		(CTASI), transcript			
	35.	Accession Number NM_024618; Homo sup- Source: Homo sapiens (2003)	iens NOD9 protein (NOD9), transcript	variant I, mRNA;			
	36.	Accession Number NM_145827: Mas musco (Cias1), mRNA; Source: Mas musculus (200		l homolog (human)			
	37.	Accession Number NM_170722; Homo sap. Source: Homo sapiens (2003)	iens NOD9 protein (NOD9), transcript	variant 2, mRNA;			
/SDP/	38.	Accession Number NT_009325; Homo sapi (2003)	ens chromosome 11 genomic contig; S	ource: Homo sapiens			
	39.	Accession Number NT_009334; Homo sapiens chromosome 11 working draft sequence segment; Source: Homo sapiens (August 23, 2001)					
	40.	Accession Number NT_015360; Homo sapi Source: Homo sapiens (February 6, 2002)	ens chromosome 16 working draft sequ	ience segment;			
	41.	Accession Number NT_024766; Homo sapiens chromosome 16 working draft sequence segment; Source: Homo sapiens (February 6, 2002)					
	42.	Aganna, et al. 2002. Association of mutations in the NALP3/CIAS1/PYPAF1 gene with a broad phenotype including recurrent fever, cold sensitivity, sensorineural deafness, and AA amyloidosis. Arthritis Rheum 46:2445.					
÷	43.	Akira, et al. 2001. Toll-like receptors: critica Immunol 2:675.	al proteins linking innate and acquired	immunity. <i>Nat</i>			
V	44.	Alexopoulou, et al. 2001. Recognition of do like receptor 3. Nature 413:732.	uble-stranded RNA and activation of N	IF-kappaB by Toll-			
/SDP/	45.	Banerjee, et al. 2001. The leucine-rich repea and other host factors in arabidopsis RPS2-n	t domain can determine effective intera nediated disease resistance. <i>Genetics</i> 1	action between RPS2 58:439.			
	46.	Beg, et al. 1993. Tumor necrosis factor and alphar a mechanism for NP-kappa B activati		nd loss of Lkeppe B			
/SDP/	47.	Bertin and DiStefano. 2000. The PYRIN do proteins. Cell Death Differ. 7:1273.	main: a novel motif found in apoptosis	and inflammation			
•	48.	Bertin, et al. 1999. Human CARD4 protein i activates NF-kappab. J Riol Chem 274:1295		nily member that			
	49.	Beutler, B. 2001. Autoimmunity and apopto	sis: the Crohn's connection. Immunity	5:5.			
	50.	Bouchier-Hayes, et al. 2001. CARDINAL multiple NF-kappa B activation pathways. J		tein, is an inhibitor o			
	51.	Brown, et al. 1998. The MHC class II transa domains for interactions with the conserved	ctivator (CIITA) requires conserved le W box promoter element. Nucleic. Acid	ucine charged ds. Res. 26:4128.			

FORM PTO		U.S. Department of Commerce nt and Trademark Office	Attorney Docket Number 5470-368	Serial No. 10/511,989			
LIST	OF DO	CUMENTS CITED BY APPLICANT					
	(Us	se several sheets if necessary)					
			Applicants: Jenny Ting et al				
			Filing Date: May 25, 2005	Group: 1633			
/SDP/	52.	Buchanan and Gay. 1996. Structural and fun proteins. <i>Prog Biophys Mol Biol</i> . 65:1.	ctional diversity in the leucine-rich rep	eat family of			
/SDP/	53.	Chen and Goeddel. 2002. TNF-R1 signaling	: a beautiful pathway. Science 296:163	4			
	54.	Cressman, et al. 1999. A defect in the nuclear lymphocyte syndrome. <i>Immunity</i> . 10:163.	ar translocation of CHTA causes a form	of type II bero			
	55.	Dangl and Jones. 2001. Plant pathogens and	integrated defence responses to infecti	on. Watar e. 411-826.			
/SDP/	56.	Dodds, et al. 2001. Six Amino Acid Change Turn Motif Determine the Difference between Cell 13:163.					
•	57.	Dode, et al. 2002. New Mutations of CIASI Familial Cold Urticaria: A Novel Mutation	That Are Responsible for Muckle-We Underlies Both Syndromes. Am J Hum	Ils Syndrome and Genet 70:1498.			
•	58.	Dowds, et al. 2003. Regulation of cryopyring gene product. Brachem. Biophys. Res. Comm		Medite fanean fever.			
	59.	Feldmann, et al. 2002. Chronic infantile neurological cutaneous and articular syndrome is caused by mutations in CIAS1, a gene highly expressed in polymorphonuclear cells and chondrocytes. Am J Hum Genet 71:198.					
	60.	Fiorentino, et al. 2002. A novel PAAQ-containing protein that modulates NF-kappa B induction by cytokines tumor necrosis factor-alpha and interleukin-1 beta. <i>Joiol Chem</i> 277:35333.					
	61.	Fontes, et al. 1999. Interactions between the class II transactivator and CREB binding protein increase transcription of major histocompatibility complex cass II genes. <i>Mol.Cell Biol.</i> 19:941.					
	62.	Fukui et al. "Haematopoietic Cell-Specific CDM Family Protein DOCK2 is Essential for Lymphocyte Migration" Nature 412: 826-831 (2001)					
	63.	Hake, et al. 2000. CIITA leucine-rich repeats control nuclear localization, In vivo recruitment to the major histocompatibility complex (MHC) class II enhanceosome, and MHC class II gene transactivation [In Process Citation]. Mol Cell. Biol 20(20):7716-25.					
_	64.	Harton and Ting. 2000. Class II transactivator: mastering the art of major histocompatibility comple expression. Mol Cell Biol 20(17):6185-94.					
	65.	Harton, et al. 1999. GTP binding by class II	transactivator: role in nuclear import.	Science 265:1402.			
	66.	Harton, et al. 2002. Leucine-rich repeats of accumulation. <i>Hum Immunol</i> . 63(7):588-60		e of nuclear			
/SDP/	67.	Heery, et al. 1997. A signature motif in transceptors. <i>Nature</i> 387:733.	scriptional co-activators mediates bind	ing to nuclear			
	68.	Hemmi, et al. 2000, A Toll-like receptor recognizes bacterial DNA. Nature 408:740.					
	69.	Hlaing, et al. 2001. Molecular cloning and c novel member of the mammalian Ced-4 fam	haracterization of BEr CAP-L and -S, illy of apoptosis proteins. J. Biol. Chem.	two isoforms of a 276(12):9230-8.			
	70.	Hoffman, et al. 2001: Mutation of a new ger auteinflammatory syndrome and Muckle-W	ne encoding a putative pyrin-like proteiells syndrome. Nat. Genet. 29:301.	n causes familial cold			

EXAMINER

FORM PTO		U.S. Department of Commerce nt and Trademark Office	Attorney Docket Number 5470-368	Serial No. 10/511,989				
LIS	T OF DO	CUMENTS CITED BY APPLICANT						
	(Us	e several sheets if necessary)						
			Applicants: Jenny Ting et al					
			Filing Date: May 25, 2005	Group: 1633				
	71.	Holt, et al. 2003. Resistance gene signaling Curr Spin Immunol 15:20.	g in plants - complex similarities to anim	al innate immunity				
	72.	Hugot, et al. 2001. Association of NOD2 le disease. Nature 41:599.	eucine-rich repeat variants with susception	bility to Crohn's				
	73.	Inohara, et al. 1999. Note an Apaf-1-like activator of caspase-9 and nuclear factor- kappaB. Journal of Biological Chemistry 274:14560.						
	74.	Inohara, et al. 2000. An induced proximity signaling pathways. J Biol Chem 275:2782	Inohara, et al. 2000. An induced proximity model for NF-kappa B activation in the Nod1/RICK and RIP					
	75.	Inohara, et al. 2001. Human nod1 confers responsivenese to bacterial lipopolysaccharides. <i>J. Biol. Chem.</i> 276(4):2551-4.						
,	76.	International Search Report for International Patent Application No. PCT/US03/13562 mailed on October 1, 2004						
•	77.	Kaisho and Akira. 2000. Critical poles of Toll-like receptors in host defense. Crit Rev Immunol 20:393.						
_	78.	Koonin and Aravind. 2000. The NACHT family - a new group of predicted NTPases implicated in apoptosis and MHC transcription activation. <i>Trends. Biochem. Sci.</i> 25(5):223-4.						
	79.	Kretsovali, et al. 1998. Involvement of CREB binding protein in expression of major his ocompatibility complex class II genes via interaction with the class II transactivator. <i>Mol.Cell Biol.</i> 18:6777.						
	80.	Kresovali, et al. 2001. Self-association of fransactivation. J. Biol. Chem. 276(34):3219		ocalization and				
/SDP/	81.	Li and Verma. 2002. NF-kappaB regulatio	n in the immune system. Nat Rev Immun	nol 2:725.				
/SDP/	82.	Linhoff, et al. 2001. Two distinct domains within CIITA mediate self-association: involvement of the GTP-binding and leucine-rich repeat domains. <i>Mol.Cell Biol</i> 21(9):3001-11.						
	83.	MacKeigan, et al. 2000. MEK inhibition enhances paclitaxel-induced tumor apoptosis. <i>J Biol Chem</i> 275:38953						
	84.	Manji, et al. 2002. PYPAF1, a PYRIN-containing Apaf1-like protein that assembles with ASC and regulates activation of NF-kappa B. J Biol Chem 277:11570.						
	85.	Martinon, et al. 2002. The inflammasome: a molecular platform triggering activation of inflammatory caspases and processing of prolL-beta. Mol Cell 10:417.						
	86.	Masternak, et al. 2000. CIITA is a transcriptional coactivator that is recruited to MHC class II promoters by multiple synergistic interactions with an enhancement complex. Genes and Development 14:1156.						
•	87.	Miceli-Richard, et al. 2001. CARD15 mug						
· ·	88.	Nelson, L. M. 2001. Autoimmune ovarian failure: comparing the mouse model and the human disease. J Soc Gynecol Investig 8:S55						
	89.	Nickerson, et al. 2001. Dendritic cell-specific MHC class II transactivator contains a caspase recruitment domain that confers potent transactivation activity. <i>J Biol Chem</i> 276:19089.						
	90.	Ogura, et al. 2001. A frameshift mutation in NOD2 associated with susceptibility to Crohn's disease Nature 411(6837):603-606.						

FORM PTO		U.S. Department of Commerce nt and Trademark Office	Attomey Docket Number 5470-368	Serial No. 10/511,989			
LIST	OF DO	CUMENTS CITED BY APPLICANT					
	(Us	e several sheets if necessary)					
			Applicants: Jenny Ting et al				
		<u> </u>	Filing Date: May 25, 2005	Group: 1633			
	91.	Ogura, et al. 2001. Nod2, a Nod1/Apaf-1 far NF-kappaB. J Biol Chem 276:4812.	nily member that is restricted to monocy	tes and activates			
	92.	Pan, et al. 2000. Divergent evolution of plan genomes. <i>J Mol Evol</i> 50:203.	t NBS-LRR resistance gone homologue	s in dicot and cereal			
	93.	Phillips et al. "Expression of RNO-2 Inhibits leukemia Cells". Blood 98(11): +926 (2001)		d Apoptosis in			
	94.	Poltorak, et al. 1998. Defective LPS signalingene. Science 282:208.	g in C3H/HeJ and C57BL/10ScCr mice	: mutations in Tlr4			
	95.	Reith and Mach. 2001. The bare lymphocyte syndrome and the regulation of MHC expression. Annu Rev Immunol 19:331					
	96.	Riley, et al. 1995. Activation of class II MHC genes requires both the X-box region and the class H transactivator (CHTA). Immunity 3:533.					
- /SDP/	97.	Samuels, et al. 1998. Familial Mediterranean fever at the millennium. Clinical spectrum, ancient mutations, and a survey of 100 American referrals to the National Institutes of Health. <i>Medicine</i> (Baltimore) 77:268.					
	98.	Schuster and Nelson. 2000. Toll receptors: an expanding role in our understanding of human disease J. Leukoc Biol. 67(6):767-73.					
	99.	Schwandner, et al. 1999. Peptidoglycan- and lipoteichoic acid-induced cell activation is mediated by toll-like receptor 2. J. Biol Chem 274:17406.					
	100.	Shami et al. "Identification and Characterization of a Novel Gene that is Upregulated in Leukaemia Cells by Nitric Oxide" British Journal of Haematology 112(1): 138-147 (2001)					
	101.	Shami, et al. 2001. Identification and characterization of a novel gene that is upregulated in leukaemia cells by nitric oxide. Br J Haematol 112:138					
	102.	Sisk, et al. 2000. MHC class II transactivator inhibits U-4 gene transcription by competing with NF-AT to bind the coactivator CREB binding protein (CBP)/p300. J. Immunol. 165(5):2511-7.					
	103.	Sisk, et al. 2001. Self-association of CHTA	and its transactivation potential. Mol Ce	ll Biol 21:4919.			
	104.	Spilianakis, et al. 2000. Acetylation by PCA of major histocompatibility complex class II	F enhances CIITA nuclear accumulation genes. <i>Mol. Cell. Biol.</i> 20(22):8489-98.	n and transactivation			
	105.	Srinivasula et al. The PYRIN-CARD Prote of Biological Chemistry 277(24): 21119-21		pase-1" The Journal			
•.	106.	Stehlik, et al. 2002. The PAAD/PYRIN-fam		conserved step in			
· /SDP/	107.	Steimle, et al. 1993. Complementation cloni MHC class II deficiency (or bare lymphocyt	ng of an MHC class II transactivator more syndrome). Cell 75:135.	utated in hereditary			
	108.						
	109.	Tong, et al. 2000. Mater encodes a maternal protein in mice with a leucine rich repeat domain homelogous to porcine ribonuclease inhibitor. <i>Mamm Genome</i> 11:281.					

	U.S. Department of Commerce t and Trademark Office	Attorney Docket Number 5470-368	Serial No. 10/511,989
LIST OF DO	CUMENTS CITED BY APPLICANT	•	
(Use	e several sheets if necessary)		
		Applicants: Jenny Ting et al	γ
		Filing Date: May 25, 2005	Group: 1633
107.	Steimle, et al. 1993. Complementation clonic MNC class II deficiency (or bare lymphocyte	ng of an MHC class II transactivator mutate syndrome). Cell 75:135.	ed in hereditary
108.	Suzukh et al. 2002. IRAK-4 as the central T 23:50.	IR signaling mediator in innate immunity.	Trends Imphunol
109.	Tong, et al. 2000. Mater encodes a maternal homologous to porcine ribonuclease inhibito	protein in mice with a leucine-rich repeat of the manner o	domain
110.	Tong, et al. 2000. Mater, a maternal effect g Genet 26:267.	ene required for early embryonic develops	nent in mice. Nat
111.	Torchia, et al. 1997. The transcriptional co-a function. <i>Nature</i> 387:677.	activator p/CIP binds CBP and mediates nu	clear-receptor
112.	Towey and Kelly. 2002. Nuclear localisation repeat region. <i>Mol Immunol</i> 38:687.	of CIITA is controlled by a carboxy term	inal leucine-rich
113.	Traut, T. W. 1994. The functions and conser different types of nucleotide-binding sites. E	nsus motifs of nine types of peptide segmentur J Biochem 222:9	nts that form
114.	Tschopp et al. "NALPS: A Novel Protein Pe 104 (2003)	mily Involved in Inflammation" Nature Re	eviews 4(2): 95-
115.	Van Der Hoorn, et al. 2001. Identification o allows construction of a cf-9 mutant that con 13:273.	f distinct specificity determinants in resista fers recignition of avirulence protein avr4	nce protein cf-4 . Plant Cell
. 116.	Wang, et al. 2002. PYPAF7, a novel PYRIN NF-kappa B and caspase-1-dependent cytols	1-containing Apaf1-like protein that regularine processing. A Biol. Chem. 277(33):298	tes activation of 374-80
117.	Williams et al. "Cutting Edge: Monarch 1: A Protein that Controls Classical and nonclass 5354-5358 (2003)	A Pyrin/Nucleotide-Rinding Domain/Leuci ical MHC Class I Genes" <i>The Journal of In</i>	ne-Rich Repeat mmunology 170:
118.	Wong, et al. 2002. Regulation and specificit lymphocytes and cell line. <i>J Immunol</i> 169:3	y of MHC2TA promoter usage in human p	rimary T
119.	Yao and Cooper. 1995. Requirement for phonerve growth factor. Spience 267:2003.		n of apoptosis by
120.	Zhang, et al. 1999 Bacterial lipopolysaccha signaling mediators in cultured human derm Chem 274:7611.	ride activates nuclear factor-kappaB through al endothelial cells and mononuclear phage	gh interleukin-1 Devtes. <i>J Biol</i>
121.	Zhou and Slimcher. 1995. Human MHC cla CIITA, one of the defective genes in type II	iss II gene transcription directed by the car MHC combined immune deficiency. <i>Imm</i>	boxyl terminus of unity. 2:545.
122.	Zhu et al. 2000. Transcriptional scaffold: C streospecific regulation of the class II majo 20(16):6051-61.	IITA interacts with NF-Y, RFX, and CRE	B to cause
			

EXAMINER *EXAMINER

/Scott D. Priebe/

DATE CONSIDERED

04/16/2007

Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Substitute form 1449A/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (use as many sheets as necessary) Sheet B1 of B1



C	omplete if Known
Application Number	10/511,989
Filing Date	October 21, 2004
First Named Inventor	Ting et al.
Group Art Unit	1633
Examiner Name	To be assigned
Attorney Docket Number	5470-368

Examiner Initials*	Cite No.	Cite No. U.S. Patent Document		Name of Patentee or Applicant of Cited	Date of Publication of Cited
		Number	Kind Code (if known)	Document	Document MM-DD-YYYY
7SDP/	1	US- 2004/0253615	A1	Inohara et al.	12-16-2004
100.1	1	US-			
		US-			

		U.S. P	ATENT APPLICATIONS	
Examiner Initials*	Cite No.	U.S. Serial No.	Name of Applicant of Cited Document	Date of Filing of Cited Document MM-DD-YYYY
		US-		
-		US-		
		US-		·
		US-		
		US-		
	1 1	US-		·
		US-		

				FOREIGN PA	TENT DOCUMENTS		
	Cite	Cite Foreign Patent Document			Name of Patentee or Applicant of Cited Document	Date of Publication of	Translation
	No.	Office	Number	Kind Code (if known)	Document	Cited Document MM-DD-YYYY	
					•		
-							
_							

OTHER NON PATENT LITERATURE DOCUMENTS						
Examiner Initials*	I leaded a management and a data management in the management of the control of the country whose cutting and the country whos		T			
1						
7			1			
7			T			
\$						

Examiner Signature /Scott D. Priebe/	Date Considered 04/16/2007	
--------------------------------------	----------------------------	--

				•			11) (
Substitute form 1449A/PTO				Complete if Known										
	INFORMATION DISCLOSURE			Ар	olication Number		10/511,989							
INFO				Fili	ng Date		May 25, 200	5						
STATEMENT BY APPLICANT			Fire	t Named Inventor		Jenny PY T								
J.,	~				6	•	**	Gro	up Art Unit		1633			
luse	as ma	ny shee	ets as r	necessary)	1			WAX8	miner Name		TBD			
Shee		1 01 2			<u> </u>	104 0	8 1,12		orney Docket Numbe	er	5470-368			
								<u>9</u>						
								AND	PATENT PUBLICAT					
Exam		Cite No					Name of Patentee or A		ant of Cited	Date of Publication of Cite				
Initial	s*			Number		Kind Code		ヿ	Docume	ent		Document MM-DD-YYYY		
					(if known(sef1))							
		-	 U	S-		-		一十						
			1 0.	-		Ь								
			·				U.S. P.	ATEN	T APPLICATIONS			-		
Exam	iner	Cite No). <u> </u>					Ť	Name of Applicant of	Cited	Document	Date of Filing of Cited		
Initial	s •	l :	ſ								Docume			
	•	 	- 					+				MM-DD-Y	7 Y Y	
		<u> </u>	U	>-								:		
							ORFICI	N PA	TENT DOCUMENTS					
Exam	iner	Cite		Foreign Par	ent D			·	Name of Patentee or	Appl	icent of Cited	Date of	Tra	nslation
Initial		No.	Office				Kind Cod	de .	Docum			Publication of		
		'''	Unice	Office		er Kind Co			· ·			Cited		
						1						Document MM-DD-YYYY		
		-		 		\dashv						IVIIVI-UU-TTTT		
		<u> </u>	l			1								
					ОТН	ER N	ON PA	TENT	LITERATURE DOCU	MEN	TS			
Exan	niner	Cite	Include	name of the au	thor (in	CAPIT	TAL LETT	ERS),	title of the article (when ap	propri	ate), title of the ite	m (book, magazine,	Т	T
Initia		No.	journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where								J			
		1.	Publish	hace entry of	Hom	o sar	iens cr	vonv	in (CIAS1) mRNA. co	mRNA, complete cds, alternatively spliced,				
/8	DP/	 ' '	Acce	ssion No. AF	4104	77.1		popylin (Girto), mining complete out, anomalis si, april 200						
			l <wv< td=""><td>vw.ncbi.nlm.</td><td>nih.go</td><td>v/en</td><td>trez/vie</td><td>wer.</td><td colspan="4">wer.fcgi?db = nucleotide&val = 17026371 > (2006)</td><td></td></wv<>	vw.ncbi.nlm.	nih.go	v/en	trez/vie	wer.	wer.fcgi?db = nucleotide&val = 17026371 > (2006)					
		2.	Datal	base entry of	Hom	o sap	iens P	/RIN-	containing APAF1-lik	e pro	tein 1 (PYPAF	1) mRNA,		
			comp	lete cds, Ac	cessio	n No	. AF42	0469	.1					
			<wv< td=""><td>vw.ncbi.nlm.</td><td>nih.go</td><td>ov/en</td><td>trez/vie</td><td>wer.</td><td>cgi?db = nucleotide&</td><td>val=</td><td>18182338> (</td><td>2006)</td><td>\dashv</td><td></td></wv<>	vw.ncbi.nlm.	nih.go	ov/en	trez/vie	wer.	cgi?db = nucleotide&	val=	18182338> (2006)	\dashv	
		3.	Datal	base entry of	Hom	o sar	iens N	ALP3	long isoform (NALP3	5) mF	INA, complete	COS, ACCESSION		
			l		< ww	w.nc	.min.ia	nın.g	ov/entrez/viewer.fcg	if GD =	= nucleotide&V	ai - 10033302 <i>7</i>		
		 	(200		Hom	0 525	iene cr	VOOY	in (CIAS1) mRNA, co	omni	ete cds. altern	atively spliced	\dashv	
		4.		ssion No. AF				, UPY	in tolde it illilitat of	Jpi	,,,			
			l <wv< td=""><td>vw.ncbi.nlm.i</td><td>nih.ac</td><td>ov/en</td><td>trez/vie</td><td>wer.</td><td>icgi?db = nucleotide&</td><td>val=</td><td>17026377></td><td>(2006)</td><td></td><td></td></wv<>	vw.ncbi.nlm.i	nih.ac	ov/en	trez/vie	wer.	icgi?db = nucleotide&	val=	17026377>	(2006)		
		5.	<www.ncbi.nlm.nih.gov 17026377="" =="" entrez="" viewer.fcgi?db="nucleotide&val"> (2006) Database entry of Homo sapiens NALP3 short isoform mRNA, complete cds, Accession No.</www.ncbi.nlm.nih.gov>											
			AF41	18985.2 <w< td=""><td>w.n</td><td>cbi.nl</td><td>m.nih.</td><td>gov/e</td><td>ntrez/viewer.fcgi?dl</td><td>b=nu</td><td>cleotide&val=</td><td>19718650></td><td>- </td><td></td></w<>	w.n	cbi.nl	m.nih.	gov/e	ntrez/viewer.fcgi?dl	b=nu	cleotide&val=	19718650>	-	
		L	(200	6)									_	
		6.	Database entry of Homo sapiens cDNA: FLJ23541 fis, clone LNG08276, highly similar to AF054176 Homosapiens angiotensin/vasopressin receptor Aii/AVP mRNA, Accession No. AK027194.1 www.ncbi.nlm.nih.gov/entrez/viewer.fcgi?db=nucleotide&val=10440263 >											
	1	1			w.nc	bi.nl	m.nih.g	gov/e	ntrez/viewer.fcgi?db	ישח≃כ	cieotide&val=	10440263>	-	
<u> </u>	L	ļ	(200	6)						34.6	2272	to converse	-+	
l	7. Database entry of Homo sapiens chromosome 1 clone RP11-433K2, complete sequence,													
	1		Accession No. AC104335.2 www.ncbi.nlm.nih.gov/entrez/viewer.fcgi?db=nucleotide&val=22024575 (2006)											
Ь—	 	 	<ww< td=""><td>w.ncbi.nim.n</td><td>in.go</td><td>veni</td><td>rez/vie</td><td>wer.</td><td>ogi rub=nucleotide&</td><td>no s</td><td>aniens) Acces</td><td>ssion No</td><td>\dashv</td><td></td></ww<>	w.ncbi.nim.n	in.go	veni	rez/vie	wer.	ogi rub=nucleotide&	no s	aniens) Acces	ssion No	\dashv	
		8.	B. Database entry of cold autoinflammatory syndrome 1 [Homo sapiens], Accession No. CAI17153.1 <www.ncbi.nlm.nih.gov entrez="" viewer.fcgi?db="protein&val=55961964"> (2006)</www.ncbi.nlm.nih.gov>											
			Data	hase coto: 6	W.NC	DIM.	contain	inc 4	PAF1-like protein 1	Ho	mo sapiens)	Accession No	-	
\	V	9.		10000 01111	WW 1	chi n	lm.nih	aov/	entrez/viewer.fcgi?d	ادا ب _ا ara≃d	otein&val=181	182339> (2006)		
	▼	1	1 , 2,5					<u> </u>	<u></u>	<u> </u>				

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Substitute form 1449A/PTO		Complete if Known			
`		Application Number	10/511,989		
INFOR	MATION DISCLOSURE	Filing Date	May 25, 2005		
STATEMENT BY APPLICANT	First Named Inventor	Jenny PY Ting			
		Group Art Unit	1633		
(use as n	nany sheets as necessary)	Examiner Name	TBD		
Sheet	2 of 2	Attorney Docket Number	5470-368		

, -		OTHER NON PATENT LITERATURE DOCUMENTS	ΙŦ				
Examiner Cite Initials No.		Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published					
/SDP/ 10.		Database entry of NALP3 long isoform [Homo sapiens], Accession No. AAL78632.1					
		<www.ncbi.nlm.nih.gov entrez="" viewer.fcgi?db="protein&val=18699563"> (2006)</www.ncbi.nlm.nih.gov>					
11.		Database entry of cold autoinflammatory syndrome 1 [Homo sapiens], Accession No.					
		CAI17154.1 < www.ncbi.nlm.nih.gov/entrez/viewer.fcgi?db=protein&val=55961965> (2006)					
12.		Database entry of cryopyrin [Homo sapiens], Accession No. AAL12498.1					
		<www.ncbi.nlm.nih.gov entrez="" viewer.fcgi?db="protein&val=17927238"> (2006)</www.ncbi.nlm.nih.gov>					
	13.	Database entry of NALP3 intermediate isoform [Homo sapiens], Accession No. AAM14669.1					
		<www.ncbi.nlm.nih.gov entrez="" viewer.fcgi?db="protein&val=20268804"> (2006)</www.ncbi.nlm.nih.gov>					
	14.	Database entry of Homo sapiens PYRIN-containing APAF1-like protein 7 mRNA, complete					
		cds, Accession No. AY095146.1	l				
1		<www.ncbi.nlm.nih.gov entrez="" viewer.fcgi?db="nucleotide&val=21314906"> (2006)</www.ncbi.nlm.nih.gov>					
	15.	Database entry of Homo sapiens NACHT, leucine rich repeat and PYD containing 12					
1		(NALP12), transcript variant 2, mRNA, Accession No. NM_144687.1	1				
		<www.ncbi.nlm.nih.gov 21955153="" =="" entrez="" viewer.fcgi?db="nucleotide&val"> (2006)</www.ncbi.nlm.nih.gov>	<u> </u>				
	16.	Database entry of Homo sapiens NALP12 (NALP12) mRNA, complete cds, Accession No.					
		AY154467.1 <www.ncbi.nlm.nih.gov 28436377="" =="" entrez="" viewer.fcgi?db="nucleotide&val"></www.ncbi.nlm.nih.gov>					
		(2006)	<u> </u>				
	17.	Database entry of Homo sapiens NACHT, leucine rich repeat and PYD containing 12, mRNA					
· [(cDNA clone MGC:40117 IMAGE:5212737), complete cds, Accession No. BC028069.1					
		<www.ncbi.nlm.nih.gov 20380399="" =="" entrez="" viewer.fcgi?db="nucleotide&val"> (2006)</www.ncbi.nlm.nih.gov>					
	18.	Database entry of Homo sapiens cDNA FLJ38141 fis, clone D9OST2002673, weakly similar					
		to Homo sapiens caspase recruitment domain protein 7 mRNA, Accession No. AK095460.1					
	,	<www.ncbi.nlm.nih.gov 21754717="" =="" entrez="" viewer.fcgi?db="nucleotide&val"> (2006)</www.ncbi.nlm.nih.gov>	ļ				
	19.	Database entry of monarch-1 [Homo sapiens], Accession No. AAM75142.1					
		<www.ncbi.nlm.nih.gov entrez="" viewer.fcgi?db="protein&val=21711821"> (2006)</www.ncbi.nlm.nih.gov>	<u> </u>				
	20.	Database entry of PYRIN-containing APAF1-like Protein 7 [Homo sapiens], Accession No.					
- 1		AAM18227 <www.ncbi.nlm.nih.gov entrez="" viewer.fcgi?db="protein&val=21314907"> (2006)</www.ncbi.nlm.nih.gov>	<u> </u>				
	21.	Database entry of monarch-1 splice form II [Homo sapiens], Accession No. AAM75143.1	ı				
		<www.ncbi.nlm.nih.gov entrez="" viewer.fcgi?db="protein&val=21711823"> (2006)</www.ncbi.nlm.nih.gov>	L				
	22.	Database entry of monarch-1 splice form III [Homo sapiens], Accession No. AM75144.1	1				
L		<www.ncbi.nlm.nih.gov entrez="" viewer.fcgi?db="protein&val=21711825"> (2006)</www.ncbi.nlm.nih.gov>	<u> </u>				
	23.	Database entry of monarch-1 splice form IV [Homo sapiens], Accession No. AAM75145.1					
		<www.ncbi.nlm.nih.gov entrez="" viewer.fcgi?db="protein&val=21711827"> (2006)</www.ncbi.nlm.nih.gov>					
	24.	Database entry of Mus musculus similar to PYRIN-containing APAF1-like protein 7;	1				
N/Z		(LOC245127), mRNA, Accession No. XM_142563.2					
V		<www.ncbi.nlm.nih.gov 23604080="" =="" entrez="" viewer.fcgi?db="nucleotide&val"> (2006)</www.ncbi.nlm.nih.gov>					

Examiner Signature	/Scott D. Priebe/	Date Considered	04/16/2007	